







Overview of methodologies and data analysis for sustainable landscape management plan




Madagascar

Randrianarisoa Marie Fabienne <u>fabi.msis@gmail.com</u>

Andriamalala Arison Fabien Clair andriamalalafb@gmail.com

General introduction on the objective of the Sustainable Landscape Management Project



The project contributes to higher level objectives:

- → Two of the five strategic axes of Madagascar's 2015 -2019 National Development Plan
 - (i) inclusive growth and territorial anchoring of development (axis 3);
 - (ii) conserving natural capital and strengthening resilience to risks and catastrophes (axis 5).



PADAP Project's component

Component 1

Component 2

Component 3

Component 4

Information and Planning




Investments and capacity building

Management, coordination, M&E

Contingency Emergency Response

The Sustainable Landscape Management Plan (SLMP)




Intersectorial

action plan

Atlas

A tool to support integrated decision making for landscape management

- To assess the effects of changes in land use and management, and ensuing land degradation or restoration, on downstream water availability and sedimentation.
 - River discharge / water availability (m³/s)
 - Sediment concentration (tons/m³)
 - Soil erosion rate (tons/ha)



Overview of input data

- → Monthly data from the GeoSFM for the period 2001-2013 (WAVES national water accounting report, 2016)
 - water balance components (rainfall, evapotranspiration, runoff)
 - monthly runoff from GeoSFM
 - daily temperature
 - precipitation
- \rightarrow slope
- → landcover
- → measurements -> ground truth

Data analysis: Use of hydrological modeling tool

→SPHY: The Spatial Processes in Hydrology (SPHY) model is a hydrological modeling tool suitable for a wide range of water resource management applications.


1. Identification of erosion hotspot: simulation of erosion

2. Exploring on-site impact of an SLM measure : SLM interventions

- Terracing
- Reforestation and forest restoration
- Agroforestry
- Reduced tillage




Total erosion in catchment (values in ton/cell)



3. Impact of an upstream SLM intervention on downstream sediment flux

Time series of sediment flux in tons are saved for each station location

The model will present different result with or without SLM intervention



3. Impact of an upstream SLM intervention on downstream sediment flux

Time series of sediment flux in tons are saved for each station location

The model will present different result with or without SLM intervention





4. Impact of an upstream SLM intervention on downstream water availability

To assess the effect on hydrology and downstream water availability

